

## GREASE EXPRESS FAST FOAM

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GREASE EXPRESS FAST FOAM

Other means of identification : Not applicable.

Recommended use : Degreaser

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park, NSW Australia 2113

1 800 022 002

Emergency telephone

number

1800 205 506, +64 7 958 2372

Issuing date : 21.08.2017

### **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Skin corrosion/irritation Serious eye damage/eye

irritation

: Category 1B: Category 1

#### **GHS Label element**

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Do not breathe dust/fume/gas/mist/vapours/spray. Wash skin

thoroughly after handling. Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh

air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Wash

contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

911817 1 / 8

### GREASE EXPRESS FAST FOAM

Other hazards : None known.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

 sodium hydroxide
 1310-73-2
 1 - 5

 2-(2-butoxyethoxy)ethanol
 112-34-5
 1 - 5

 monoethanolamine
 141-43-5
 1 - 5

## **Section: 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

Contact the Poison's Information Centre (eg Australia 13 1126; New

Zealand 0800 764 766).

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

# **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

Special protective equipment

for firefighters

: In case of fire, wear a full face positive-pressure self contained

breathing apparatus and protective suit.

911817 2/8

### **GREASE EXPRESS FAST FOAM**

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Hazchem Code : 2R

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions :

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use

only with adequate ventilation. Wash hands thoroughly after handling.

Do not get in eyes, on skin, or on clothing.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Storage temperature : 0 °C to 40 °C

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components       | CAS-No.   | Form of exposure | Permissible concentration | Basis  |
|------------------|-----------|------------------|---------------------------|--------|
| sodium hydroxide | 1310-73-2 | Peak limit       | 2 mg/m3                   | AU OEL |
| monoethanolamine | 141-43-5  | TWA              | 3 ppm<br>7.5 mg/m3        | AU OEL |
|                  |           | VLE              | 6 ppm<br>15 mg/m3         | AU OEL |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

911817 3 / 8

### GREASE EXPRESS FAST FOAM

Impervious gloves Laminate film

Nitrile

Unsupported neoprene

**PVC** 

Natural rubber

Neoprene/natural rubber blend

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

: Personal protective equipment comprising: suitable protective gloves, Skin protection

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

> practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

Colour : clear, brown

Odour : slight

рΗ : 13.15 - 14.15, (100 %)

Flash point Not applicable., Does not sustain combustion.

Odour Threshold : no data available Melting point/freezing point : no data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : no data available Flammability (solid, gas) : no data available Upper explosion limit : no data available Lower explosion limit : no data available : no data available Vapour pressure Relative vapour density : no data available Relative density : 1.034 - 1.064

Water solubility : soluble

Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

: no data available Auto-ignition temperature Thermal decomposition : no data available

911817 4/8

### GREASE EXPRESS FAST FOAM

Viscosity, kinematic : no data available Explosive properties : no data available Oxidizing properties : no data available : no data available Molecular weight VOC : no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Organic materials

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

## Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

Eyes : Causes serious eye damage.

Skin Causes severe skin burns.

Causes digestive tract burns. Ingestion

Inhalation May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

## **Experience with human exposure**

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

: Respiratory irritation, Cough Inhalation

**Toxicity** 

**Product** 

: Acute toxicity estimate : > 2,000 mg/kg Acute oral toxicity Acute inhalation toxicity : 4 h Acute toxicity estimate : > 5 mg/l

911817 5/8

### GREASE EXPRESS FAST FOAM

Acute dermal toxicity : Acute toxicity estimate : > 2,000 mg/kg

Skin corrosion/irritation : no data available Serious eye damage/eye : no data available

irritation

Respiratory or skin

STOT - repeated exposure

sensitization

: no data available

: no data available Carcinogenicity Reproductive effects : no data available Germ cell mutagenicity : no data available Teratogenicity : no data available STOT - single exposure : no data available

Aspiration toxicity : no data available

## Section: 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Environmental Effects** : This product has no known ecotoxicological effects.

: no data available

**Product** 

: no data available Toxicity to fish : no data available Toxicity to daphnia and other

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : 2-(2-butoxyethoxy)ethanol

96 h LC50 Fish: 1,300 mg/l

Components

Toxicity to daphnia and other : sodium hydroxide

aquatic invertebrates

48 h EC50: 40 mg/l

monoethanolamine

48 h EC50 Daphnia: 65 mg/l

Persistence and degradability

Readily biodegradable.

**Bioaccumulative potential** 

no data available

Mobility in soil

no data available

Other adverse effects

no data available

### **Section: 13. DISPOSAL CONSIDERATIONS**

911817 6/8

### **GREASE EXPRESS FAST FOAM**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water courses or

the soil.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

### **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

UN number : 1824

Description of the goods : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Hazchem Code : 2R
Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 1824

Description of the goods : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Marine pollutant : No

## **Section: 15. REGULATORY INFORMATION**

#### **National regulatory information**

Standard for the Uniform : Schedule 5

Scheduling of Medicines and

**Poisons** 

The components of this product are reported in the following inventories:

#### United States TSCA Inventory:

not determined

### Canadian Domestic Substances List (DSL):

This product contains one or several components that are not on the Canadian DSL nor NDSL.

### Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand:

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

911817 7 / 8

### GREASE EXPRESS FAST FOAM

#### Korea. Korean Existing Chemicals Inventory (KECI):

not determined

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

# **China Inventory of Existing Chemical Substances:**

On the inventory, or in compliance with the inventory

#### **Taiwan Chemical Substance Inventory:**

not determined

### **Section: 16. OTHER INFORMATION**

Sources of key data used to compile the Safety Data Sheet Globally Harmonized System of Classification and Labelling of Chemicals (GHS) IARC: (International Agency for Research on Cancer) US. National Toxicology Program (NTP) Report on Carcinogens ECHA List of Publishable Substances Registered EU HPVCs (High Production Volume Chemicals)

Issuing date : 21.08.2017 Date of first issue : 19.11.2015

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

911817 8 / 8