

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OASIS COMPAC FLOOR STRIPPER

Other means of identification : Not applicable.

Recommended use : Floor Stripper

Product dilution information : 6.0 % - 18.0 %

Company : ECOLAB PTY LTD
2 Drake Avenue
Macquarie Park, NSW Australia 2113
1 800 022 002

Emergency telephone number : 1800 205 506, +64 7 958 2372

Issuing date : 23.11.2015

Section: 2. HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Corrosive to metals : Category 1
Acute toxicity (Inhalation) : Category 4
Skin corrosion/irritation : Category 1A
Serious eye damage/eye irritation : Category 1
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Product AT USE DILUTION

Skin corrosion/irritation : Category 2
Serious eye damage/eye irritation : Category 2A

GHS Label element
Product AS SOLD

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.
Causes severe skin burns and eye damage.
Harmful if inhaled.
May cause respiratory irritation.

Precautionary Statements : **Prevention:**
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Absorb spillage to prevent material damage.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard pictograms :



Signal Word :

Warning

Hazard Statements :

Causes skin irritation.
Causes serious eye irritation.

Precautionary Statements :

Prevention:

Wash skin thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

Response:

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Product AS SOLD

Other hazards :

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture :

Mixture

Chemical Name

2-butoxyethanol
monoethanolamine
sodium hydroxide

CAS-No.

111-76-2
141-43-5
1310-73-2

Concentration: (%)

10 - 30
5 - 10
5 - 10

Product AT USE DILUTION

Chemical Name

2-butoxyethanol
monoethanolamine

CAS-No.

111-76-2
141-43-5

Concentration: (%)

1 - 5
1 - 5

Section: 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact :

Rinse immediately with plenty of water, also under the eyelids, for at

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

- least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).
- If inhaled : Get medical attention if symptoms occur.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
metal oxides

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
- Hazchem Code : 2X

Section: 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Product AS SOLD

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing.
- Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 45 °C

Product AT USE DILUTION

- Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling.

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm 96.9 mg/m ³	AU OEL
		VLE	50 ppm 242 mg/m ³	AU OEL
monoethanolamine	141-43-5	TWA	3 ppm 7.5 mg/m ³	AU OEL
		VLE	6 ppm 15 mg/m ³	AU OEL
sodium hydroxide	1310-73-2	Peak limit	2 mg/m ³	AU OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Wear chemical splash goggles.
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Impervious gloves
PVC
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Chemical resistant apron

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.
Wash face, hands and any exposed skin thoroughly after handling.
Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear the following personal protective equipment:

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

	Standard glove type. Impervious gloves PVC Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing Chemical resistant apron
Respiratory protection	: No personal respiratory protective equipment normally required.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Colour	: dark red	light red
Odour	: aromatic	sweet
pH	: 12.0 - 13.5, 100 %	11.5 - 13.0
Flash point	: Not applicable., Does not sustain combustion.	
Odour Threshold	: no data available	
Melting point/freezing point	: no data available	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: no data available	
Flammability (solid, gas)	: no data available	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Relative density	: 1.0 - 1.1	
Water solubility	: soluble	
Solubility in other solvents	: no data available	
Partition coefficient: n-octanol/water	: no data available	
Auto-ignition temperature	: no data available	
Thermal decomposition	: no data available	
Viscosity, kinematic	: no data available	
Explosive properties	: no data available	
Oxidizing properties	: no data available	
Molecular weight	: no data available	
VOC	: no data available	

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Organic materials Metals Acids
Hazardous decomposition products	: No decomposition if stored and applied as directed.

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause respiratory tract irritation. Harmful if inhaled. May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes	: Causes serious eye irritation.
Skin	: Causes skin irritation.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact	: Redness, Pain, Irritation
Skin contact	: Redness, Irritation

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : 4.31 mg/l

Acute dermal toxicity : Acute toxicity estimate : > 2,000 mg/kg

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : 2-butoxyethanol
96 h LC50: 1,474 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : 2-butoxyethanol
48 h EC50: 690 mg/l

monoethanolamine
48 h EC50 Daphnia: 65 mg/l

sodium hydroxide
48 h EC50: 40 mg/l

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

Components

Toxicity to algae : 2-butoxyethanol
72 h EC50: 911 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Product AT USE DILUTION

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

UN number : 3266
Description of the goods : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
(sodium hydroxide, monoethanolamine)
Class : 8
Packing group : II
Hazchem Code : 2X
Environmentally hazardous : No

Sea transport (IMDG/IMO)

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

UN number : 3266
Description of the goods : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
(sodium hydroxide, monoethanolamine)
Class : 8
Packing group : II
Marine pollutant : No

Product AT USE DILUTION

Not intended for transport.

Section: 15. REGULATORY INFORMATION

National regulatory information

Standard for the Uniform : Schedule 6
Scheduling of Medicines and
Poisons

The components of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :

On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
IARC: (International Agency for Research on Cancer)
US. National Toxicology Program (NTP) Report on Carcinogens
ECHA List of Publishable Substances Registered
EU HPVCs (High Production Volume Chemicals)

Issuing date : 23.11.2015

SAFETY DATA SHEET

OASIS COMPAC FLOOR STRIPPER

Date of first issue : 22.11.2015
version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.