

Material Safety Data Sheet

Product: Multi-Purpose Interior Filler

SECTION 1 – PRODUCT IDENTIFICATION

Product name: Multi-Purpose Interior Filler

Physical form: Paste

Odour: Mild Acrylic odour

CAS No.: Mixture

Flammability: Material may not burn in wet state. Manufacturer: **UNI-PRO PAINTING EQUIPMENT**

Supplier Address: Units 9-11, 144-150 Canterbury Road, Kilsyth VIC 3137

Supplier Contact: Customer Service Telephone: 03 9761 7900 03 9761 6522 Fax:

SECTION 2 - COMPOSITION AND HAZARDOUS COMPONENTS

Chemical Name	<u>CAS No.</u>	Approx WT%
Latex Emulsion		5%
Water		22.5%
Ethylene glycol	107-21-1	0.3%
Mineral Spirits	64742-48-9	0.5%
Titanium dioxide	13463-67-7	2%
Mineral Filler		69.2%
Additives		0.5%

SECTION 3 – HAZARD IDENTIFICATION

None known. Ingestion:

Skin contact: Uncured product contact may irritate the skin. Eve contact: Uncured product contact irritates eyes. Inhalation: May cause mild respiratory irritation.

SECTION 4 - FIRST AID MEASURES

Take off all contaminated clothing immediately.

In case of ingestion: Seek medical advice immediately.

In case of skin contact: Wipe with paper towel and immediately clean with water and soap. Immediately flush with water, seek medical advice if necessary. In case of eyes contact:

SECTION 5 - FIRE FIGHTING MEASURES

Suitable extinguishing media: Water, foam, CO2, dry power and all standard fire-fighting

media.

Unsuitable extinguishing media: Unknown Hazardous decomposition: Not specified.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Methods for cleaning up: Take up mechanically.

Issued by: UniPro Painting Equipment Pty. Ltd.



UniPro Painting Equipment Product: Multi-Purpose Interior Filler Page 2 of 3

SECTION 7 - HANDLING & STORAGE

Handling: Ensure good ventilation during processing.

Wear safety shoes.

Protection against fire/ explosion: General rules of fire prevention should be observed.

Storage: Keep container tightly closed and dry.

Cautions: Extreme heavy in drum form if product packed in 200L

drum.

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Ingredients with limited values to be controlled:Not indicated.Local exhaust:RecommendedGeneral ventilation:Recommended

Hand protection:Suitable protective gloves. **Eye protection:**Safety/ protective glasses.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form: Paste Specific gravity: 1.65

Specific gravity: 1.65
Colour:

Viscosity: Not indicated.
Odour: Not indicated.
Mild Acrylic Odour

Volatile % (25°C): < 26.3%

VOC: Less than 40g/ Liter [after deduct exempted solvent (water)]

Solubility in water: Yes
Boiling point: 100°C
Flash point: None known
Ignition temperature: None known

Note: the above information is not intended for use in preparing specification.

SECTION 10 - STABILITY AND REACTIVITY

Chemical stability: Stable
Incompatibility (material to be avoid): None known
Conditions to be avoid: None known
Dangerous reactions: None known.

Dangerous products of decomposition:No dangerous decomposition products known.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute toxicity: Not determined

Primary irritant effect-

On the skin: Irritant for skin and mucous membranes

On the eye: Irritant effect

Additional Toxicological information: When used and handled according to specification, the

product does not have any harmful effects according to our

experience and the information provided to us.

SECTION 12 - ECOLOGICAL INFORMATION

Complete information not yet available.

Product: Multi-Purpose Interior Filler

SECTION 13 - DISPOSAL CONSIDERATIONS

For cured sealant landfill may be suitable.

With respect to local regulation, dispose of to suitable incineration plant.

SECTION 14 – TRANSPORT INFORMATION

Proper shipping name: Latex based Putty Filler (Joint Compound)

Hazard technical name: Not available. Hazard class: Not available.

No dangerous goods under the transport regulation.

SECTION 15 - REGULATORY INFORMATION

Labeling (EC): This product is not subject to the labeling requirements of EC directives.

SECTION 16 - OTHER INFORMATION

The data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

THIS MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS.

Issued by: UniPro Painting Equipment Pty. Ltd.

Date of Issue:18/08/16

Page 3 of 3